



COMBIBAG

One Resuscitator for Both, Adult and Child.





COMBIBAG

One Resuscitator for Both, Adult and Child: One Resuscitator, Two Patient Groups

Thanks to the unique technology of COMBIBAG, the 2-in-1 resuscitator for adults and children, you always have the right equipment on hand. With a simple 180-degree turn of the COMBIBAG, you vary the volumes quickly and automatically adapt the tidal volume to the patient.

The safety valve limits the ventilation pressure and protects the patient during ventilation with a mask or tube. With COMBIBAG you save time, free up space in your emergency case and save on costs.



COMBIBAG with ventilation mask

Article No.

COMBIBAG, resuscitator without masks	WM 11090
COMBIBAG, resuscitator with size 5 mask	WM 11020
COMBIBAG, resuscitator with two masks, size 5 and size 3	WM 11025
COMBIBAG, resuscitator with three masks, size 5, size 3 and size 1	WM 11050



Make a 180-Degree Turn with COMBIBAG to Save More Time, Space and Expense

Convincing benefits:


- The intelligent design of COMBIBAG lets you ventilate children from 10 kg with small volumes and adults with larger volumes
- Greater safety for user and patients: safety valve with two pressure levels for mask and tube ventilation
- Variety of connection options: improvement in oxygenation by means of oxygen reservoir or demand valve connection
- Simple cleaning and disinfection: single layer construction for optimum hygienic conditioning
- Maintenance and disassembly require no tools
- Latex-free: all components made of silicone or polysulfone
- You save time, space and expense.



Connection fits oxygen reservoir or OXYMAND demand valve



Safety valve



Ventilation for children and adults with a simple turn



Accessories and replacement parts

<p>1 Ventilation mask with self-filling cushion of silicone</p> <ul style="list-style-type: none"> ■ For adults, size 5 WM 5074 ■ For children and juveniles, size 3 WM 5082 ■ For infants, size 1 WM 5086 <p>■ Set of silicone Rendell-Baker ventilation masks WM 15482</p> <p>2 OXYMAND demand valve with adapter and pressure hose 1.5 m</p> <ul style="list-style-type: none"> ■ With connection nozzle G 3/8" and adapter for COMBIBAG WM 22127 ■ With Walther plug and adapter for COMBIBAG WM 22128 ■ With DIN 13260 plug and adapter for COMBIBAG WM 22129 <p>3 PEEP valve, infinitely adjustable from 0 to 10 mbar WM 3215</p> <p>4 Oxygen reservoir WM 11052</p> <ul style="list-style-type: none"> ■ Suspension ring (new), Ø 60 mm WM 1145/49 ■ Seal Ø 30/35 x 0,5 mm WM 1145/82 	<ul style="list-style-type: none"> ■ Bellows WM 11001 ■ Valve housing WM 11002 ■ Ventilation valve, without safety valve WM 11003 ■ Valve element WM 11006 ■ Valve insert WM 11007 ■ Inlet membrane WM 11008 ■ Intake stub, inner part WM 11021 ■ Intake stub, outer part WM 11022 ■ Two-stage safety valve WM 11030 ■ Ventilation valve, complete WM 11035 ■ Intake stub with inlet membrane WM 11051 ■ Lockring 30 x 1,5 mm WM 50455
--	--

Technical data COMBIBAG



Product class as per directive 93 / 42 / EEC: Ila	Pressure limit: switchable, 20 mbar and 60 mbar
Area of application: Child segment 10 – 16 kg weight Adult segment > 16 kg weight	Gas inlet connection: Ø 6 mm
Volume: Child segment up to 500 ml Adult segment 500 to 1200 ml	Patient connection: 15 mm/22 mm as per ISO 5356
	Dimensions (L x D): 340 x 130 mm
	Weight: 390 g
	Materials: latex-free Valve: Polysulfone Squeeze bag and valve membrane: silicone

83642-EN-12/2013 © Copyright WEINMANN Emergency, Hamburg. Duplication of any kind only with the express permission of WEINMANN Emergency. All rights to technical and design modifications are reserved.



Работайте с лучшими,
всё остальное компромисс!

8 (800) 775-10-98

medliga.ru